


# Oprawki do frezów tarczowych

## BT-SCA

MAS403-BT






(mm)

Oznaczenie	Stan	Średnica obróbki	øD	L	H	W	øC	H1	G	kg
<b>BT30 - SCA12.7 - 60</b>		50	12.7	60	15	-	20	12	M12x1.25	0.6
<b>SCA15.875 - 60</b>		50-60	15.875	60	16	3.18	26	13	M14x1.5	0.7
<b>SCA22.225 - 60</b>		60-63-75	22.225	60	21	3.18	34	18	M20x1.5	0.8
<b>SCA25.4 - 60</b>		75-80	25.4	60	25	6.35	40	21	M24x2	0.9
<b>BT40 - SCA13 - 75</b>		50	13	75	15	-	20	12	M12x1.25	1.3
<b>105</b>		50	13	105	15	-	20	12	M12x1.25	1.4
<b>SCA16 - 75</b>		50-60	16	75	16	4	26	13	M14x1.5	1.4
<b>105</b>		50-60	16	105	16	4	26	13	M14x1.5	1.5
<b>SCA22 - 75</b>		60-63-75	22	75	21	6	34	8	M20x1.5	1.6
<b>105</b>		60-63-75	22	105	21	6	34	8	M20x1.5	1.9
<b>SCA27 - 75</b>		75-80-100-125	27	75	25	7	40	21	M24x2	2.1
<b>120</b>		75-80-100-125	27	120	25	7	40	21	M24x2	2.5
<b>SCA32 - 105</b>		100-125-150-175	32	105	30	8	46	26	M30x2	2.6
<b>SCA12.7 - 75</b>		50	12.7	75	15	-	20	12	M12x1.25	1.3
<b>105</b>		50	12.7	105	15	-	20	12	M12x1.25	1.4
<b>SCA15.875 - 75</b>		50-60	15.875	75	16	3.18	26	13	M14x1.5	1.4
<b>105</b>		50-60	15.875	105	16	3.18	26	13	M14x1.5	1.5
<b>SCA22.225 - 75</b>		60-63-75	22.225	75	21	3.18	34	18	M20x1.5	1.6
<b>120</b>		60-63-75	22.225	120	21	3.18	34	18	M20x1.5	1.9
<b>SCA25.4 - 75</b>		75-80-100-125	25.4	75	25	6.35	40	21	M24x2	2.1
<b>120</b>		75-80-100-125	25.4	120	25	6.35	40	21	M24x2	2.5
<b>SCA31.75 - 105</b>		100-125-150-175	31.75	105	30	7.92	46	26	M30x2	2.6
<b>BT50 - SCA13 - 75</b>		50	13	75	15	-	20	12	M12x1.25	3.7
<b>105</b>		50	13	105	15	-	20	12	M12x1.25	3.8
<b>SCA16 - 90</b>		50-60	16	90	16	4	26	13	M14x1.5	4.0
<b>120</b>		50-60	16	120	16	4	26	13	M14x1.5	4.1
<b>SCA22 - 90</b>		60-63-75	22	90	21	6	34	18	M20x1.5	4.3
<b>135</b>		60-63-75	22	135	21	6	34	18	M20x1.5	4.6
<b>SCA27 - 90</b>		75-80-100-125	27	90	25	7	40	21	M24x2	4.7
<b>135</b>		75-80-100-125	27	135	25	7	40	21	M24x2	5.1
<b>SCA32 - 90</b>		100-125-175-200	32	90	30	8	46	26	M30x2	5.1
<b>135</b>		100-125-175-200	32	135	30	8	46	26	M30x2	5.7
<b>SCA40 - 90</b>		150-160-175-200	40	90	36	10	55	31	M36x2	5.8
<b>135</b>		150-160-175-200	40	135	36	10	55	31	M36x2	6.8
<b>SCA12.7 - 75</b>		50	12.7	75	15	-	20	12	M12x1.25	3.7
<b>105</b>		50	12.7	105	15	-	20	12	M12x1.25	3.8
<b>SCA15.875 - 90</b>		50-60	15.875	90	16	3.18	26	13	M14x1.5	4.0
<b>120</b>		50-60	15.875	120	16	3.18	26	13	M14x1.5	4.1
<b>SCA22.225 - 90</b>		60-63-75	22.225	90	21	3.18	34	18	M20x1.5	4.3
<b>BT50 - SCA22.225- 135</b>		60-63-75	22.225	135	21	3.18	34	18	M20x1.5	4.6
<b>SCA25.4 - 90</b>		75-80-100-125	25.4	90	25	6.35	40	21	M24x2	4.7
<b>135</b>		75-80-100-125	25.4	135	25	6.35	40	21	M24x2	5.1
<b>SCA31.75 - 90</b>		100-125-150-175-200	31.75	90	30	7.92	46	26	M30x2	5.1
<b>135</b>		100-125-150-175-200	31.75	135	30	7.92	46	26	M30x2	5.7
<b>SCA38.1 - 90</b>		150-160-175-200	38.1	90	36	9.52	55	31	M36x2	5.8
<b>135</b>		150-160-175-200	38.1	135	36	9.52	55	31	M36x2	6.8

• JIS B4219, 4109, 4107 do Frezów bocznych  
• Zawiera klucz i podkładki

● : Pozycja standardowa ○ : Pozycja na zamówienie

## ● Części

Oprawki	Części zapasowe		
	Wpust	Podkładki	Nakrętka zaciskająca
Rodzaj			
SCA 13	-	SCA13-Set	SCA-M12
SCA 16	4x4x25	SCA16-Set	SCA-M14
SCA 22	6x6x25	SCA22-Set	SCA-M20
SCA 27	7x7x25	SCA27-Set	SCA-M24
SCA 32	8x7x25	SCA32-Set	SCA-M30
SCA 40	10x8x25	SCA40-Set	SCA-M36
SCA 12.7	-	SCA12.7-Set	SCA-M12
SCA 15.875	3.18x3.18x25	SCA15.875-Set	SCA-M14
SCA 22.225	3.18x3.18x25	SCA22.225-Set	SCA-M20
SCA 25.4	6.35x6.35x25	SCA25.4-Set	SCA-M24
SCA 31.75	7.92x7x25	SCA31.75-Set	SCA-M30
SCA 38.1	9.52x8x25	SCA38.1-Set	SCA-M36